

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix SDS ID: 00244245

# \* \* \* Section 1 - IDENTIFICATION \* \* \*

## **Manufacturer Information**

MATHESON TRI-GAS, INC. General Information: 1-800-416-2505

150 Allen Road, Suite 302 Emergency #: 1-800-424-9300 (CHEMTREC)

Basking Ridge, NJ 07920 Outside the US: 703-527-3887 (Call collect)

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix

**Product Use** 

industrial

Restrictions on Use

None known.

# \* \* \* Section 2 - HAZARDS IDENTIFICATION \* \* \*

# **GHS Classification**

Flammable gas, Category 1

Gas under pressure, Compressed gas

Acute Toxicity (Inhalation), Category 4 (95% unknown)

## **GHS LABEL ELEMENTS**

# Symbol(s)



## Signal Word

**DANGER** 

SDS ID: 00244245

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix

## **Hazard Statement(s)**

Extremely flammable gas

Contains gas under pressure; may explode if heated

Harmful if inhaled

# **Precautionary Statement(s)**

#### Prevention

Keep away from heat, sparks, open flame, and hot surfaces - No smoking.

Avoid breathing gas.

Use only outdoors or in a well-ventilated area.

## Response

Leaking gas fire: Do not extinguish, unless leak can be stopped safely.

Eliminate all ignition sources if safe to do so.

IF INHALED:

Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a POISON CENTER or doctor/physician if you feel unwell.

## **Storage**

Store in a well-ventilated place.

Protect from sunlight.

# Other Hazards which do not Result in Classification

May cause asphyxia. May cause frostbite upon sudden release of compressed gas.

# \* \* \* Section 3 - COMPOSITION / INFORMATION ON INGREDIENTS \* \* \*

CAS#	Component	Percent
7727-37-9	Nitrogen	95-96
1333-74-0	Hydrogen	4-5

Page 2 of 11 Issue Date: 12/04/2009 Revision 1.0000 Print Date: 2/9/2010

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix

# \* \* \* Section 4 - FIRST AID MEASURES \* \* \*

#### Inhalation

If adverse effects occur, remove to uncontaminated area. Give artificial respiration if not breathing. If breathing is difficult, oxygen should be administered by qualified personnel. Get immediate medical attention.

SDS ID: 00244245

#### Skin

Wash exposed skin with soap and water. If frostbite or freezing occur, immediately flush with plenty of lukewarm water (105-115 F; 41-46 C). DO NOT USE HOT WATER. If warm water is not available, gently wrap affected parts in blankets. Get immediate medical attention.

## **Eyes**

Flush eyes with plenty of water for at least 15 minutes. Then get immediate medical attention.

## Ingestion

If a large amount is swallowed, get medical attention.

### **Note to Physicians**

For inhalation, consider oxygen.

# Symptoms: Immediate

frostbite, suffocation

# Symptoms: Delayed

No information on significant adverse effects.

# \* \* \* Section 5 - FIRE FIGHTING MEASURES \* \* \*

See Section 9 for Flammability Properties

### **Specific Hazards Arising from the Chemical**

Severe fire hazard. Severe explosion hazard. Vapor/air mixtures are explosive. Pressurized containers may rupture or explode if exposed to sufficient heat. Electrostatic discharges may be generated by flow or agitation resulting in ignition or explosion.

## **Extinguishing Media**

carbon dioxide, regular dry chemical

#### **Unsuitable Extinguishing Media**

None known.

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix

### **Protective Equipment and Precautions for Firefighters**

Wear full protective fire fighting gear including self contained breathing apparatus (SCBA) for protection against possible exposure.

SDS ID: 00244245

## **Fire Fighting Measures**

Move container from fire area if it can be done without risk. Cool containers with water spray until well after the fire is out. Stay away from the ends of tanks. For fires in cargo or storage area: Cool containers with water from unmanned hose holder or monitor nozzles until well after fire is out. If this is impossible then take the following precautions: Keep unnecessary people away, isolate hazard area and deny entry. Let the fire burn. Withdraw immediately in case of rising sound from venting safety device or any discoloration of tanks due to fire. For tank, rail car or tank truck: Stop leak if possible without personal risk. Let burn unless leak can be stopped immediately. For smaller tanks or cylinders, extinguish and isolate from other flammables. Evacuation radius: 800 meters (1/2 mile). Do not attempt to extinguish fire unless flow of material can be stopped first. Flood with fine water spray. Cool containers with water spray until well after the fire is out. Apply water from a protected location or from a safe distance. Avoid inhalation of material or combustion by-products. Stay upwind and keep out of low areas. Evacuate if fire gets out of control or containers are directly exposed to fire. Evacuation radius: 500 meters (1/3 mile). Consider downwind evacuation if material is leaking. Stop flow of gas.

# \* \* \* Section 6 - ACCIDENTAL RELEASE MEASURES \* \* \*

#### **Personal Precautions**

Wear personal protective clothing and equipment, see Section 8.

#### **Environmental Precautions**

Avoid release to the environment.

#### **Methods for Containment**

Keep unnecessary people away, isolate hazard area and deny entry. Remove sources of ignition. Ventilate closed spaces before entering.

#### **Cleanup Methods**

Leaking gas fire: Do not extinguish, unless leak can be stopped safely. Avoid heat, flames, sparks and other sources of ignition. Do not touch spilled material. Stop leak if possible without personal risk. Reduce vapors with water spray.

# \* \* \* Section 7 - HANDLING AND STORAGE \* \* \*

## **Handling Procedures**

Wash thoroughly after handling.

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix SDS ID: 00244245

### **Storage Procedures**

Store and handle in accordance with all current regulations and standards. Grounding and bonding required. Store in a well-ventilated place. Protect from sunlight. Subject to storage regulations: U.S. OSHA 29 CFR 1910.101. Keep separated from incompatible substances.

## \* \* \* Section 8 - EXPOSURE CONTROLS / PERSONAL PROTECTION \* \* \*

## **Component Exposure Limits**

Nitrogen (7727-37-9)

**ACGIH:** Simple asphyxiant

Hydrogen (1333-74-0)

**ACGIH:** Simple asphyxiant

## **Component Biological Limit Values**

There are no biological limit values for any of this product's components.

## **Engineering Controls**

Ventilation equipment should be explosion-resistant if explosive concentrations of material are present. Provide local exhaust ventilation system. Ensure compliance with applicable exposure limits.

#### PERSONAL PROTECTIVE EQUIPMENT

# Eyes/Face

For the gas: Eye protection not required, but recommended. For the liquid: Wear splash resistant safety goggles. Contact lenses should not be worn. Provide an emergency eye wash fountain and quick drench shower in the immediate work area.

#### **Protective Clothing**

For the gas: Protective clothing is not required. For the liquid: Wear appropriate protective, cold insulating clothing.

#### **Glove Recommendations**

For the gas: Protective gloves are not required, but recommended. For the liquid: Wear insulated gloves.

#### **Respiratory Protection**

Under conditions of frequent use or heavy exposure, respiratory protection may be needed.

Respiratory protection is ranked in order from minimum to maximum.

Consider warning properties before use.

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix

## For Unknown Concentrations or Immediately Dangerous to Life or Health -

Any supplied-air respirator with a full facepiece that is operated in a pressure-demand or other positive-pressure mode in combination with an auxiliary self-contained breathing apparatus operated in pressure-demand or other positive-pressure mode.

SDS ID: 00244245

Any self-contained breathing apparatus that has a full facepiece and is operated in a pressure-demand or other positive-pressure mode.

# \* \* \* Section 9 - PHYSICAL AND CHEMICAL PROPERTIES \* \* \*

Physical State:	Gas	Colorless gas		
Color:	colorless	orless Physical Form:		
Odor:	odorless	Odor Threshold:	Not available	
Taste:	tasteless	Melting/Freezing Point:	Not available	
Boiling Point:	Not available	Flash Point:	flammable	
Decomposition:	Not available	Evaporation Rate:	Not available	
LEL:	4.0 % (hydrogen)	UEL:	75 % (hydrogen)	
Vapor Pressure:	Not available	Vapor Density (air = 1):	Not available	
Density:	Not available	Water Solubility:	Not available	
Log KOW:	Not available	Coeff. Water/Oil Dist:	Not available	
Auto Ignition:	400 °C (hydrogen)	Viscosity:	Not available	

# **Solvent Solubility**

Slightly Soluble: alcohol, ether

# \* \* \* Section 10 - STABILITY AND REACTIVITY \* \* \*

## **Chemical Stability**

Stable at normal temperatures and pressure.

# **Conditions to Avoid**

Avoid heat, flames, sparks and other sources of ignition. Minimize contact with material. Containers may rupture or explode if exposed to heat.

SDS ID: 00244245

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix

### **Possibility of Hazardous Reactions**

Will not polymerize.

# **Incompatible Materials**

combustible materials, halo carbons, halogens, metal oxides, metal salts, metals, oxidizing materials

#### **Decomposition Products**

oxides of nitrogen

# \* \* \* Section 11 - TOXICOLOGICAL INFORMATION \* \* \*

## **Acute and Chronic Toxicity**

#### Component Analysis - LD50/LC50

The components of this material have been reviewed in various sources and the following selected endpoints are published:

Hydrogen (1333-74-0)

Inhalation LC50 Rat >15000 ppm 1 h

## **RTECS Acute Toxicity (selected)**

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

#### **Immediate Effects**

frostbite, suffocation

## **Delayed Effects**

No information on significant adverse effects.

## **Irritation/Corrosivity Data**

No animal testing data available for skin or eyes.

# **RTECS Irritation**

The components of this material have been reviewed and RTECS publishes no data as of the date on this document.

#### **Respiratory Sensitizer**

No data available.

Safety Data Sheet Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix SDS ID: 00244245 **Dermal Sensitizer** No data available. Carcinogenicity **Component Carcinogenicity** None of this product's components are listed by ACGIH, IARC, NTP, OSHA or DFG. **Mutagenic Data** No data available for the mixture. **RTECS Mutagenic** The components of this material have been reviewed, and RTECS publishes data for one or more components. **Reproductive Effects Data** No data available for the mixture. **Tumorigenic Data** No data available for the mixture. **RTECS Tumorigenic** The components of this material have been reviewed, and RTECS publishes data for one or more components. **Specific Target Organ Toxicity - Single Exposure** No data available. **Specific Target Organ Toxicity - Repeated Exposure** No data available. **Aspiration Hazard** Not applicable. **Medical Conditions Aggravated by Exposure** None known. \* \* \* Section 12 - ECOLOGICAL INFORMATION \* \* \* **Component Analysis - Aquatic Toxicity** No LOLI ecotoxicity data are available for this product's components.

SDS ID: 00244245

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix

## Persistence and Degradability

No data available for the mixture.

#### **Bioaccumulative Potential**

No data available for the mixture.

#### **Mobility in Environmental Media**

No data available for the mixture.

# \* \* \* Section 13 - DISPOSAL CONSIDERATIONS \* \* \*

# **Disposal Methods**

Dispose in accordance with all applicable regulations. Subject to disposal regulations: U.S. EPA 40 CFR 262. Hazardous Waste Number(s): D001.

# **Component Waste Numbers**

The U.S. EPA has not published waste numbers for this product's components.

# \* \* \* Section 14 - TRANSPORT INFORMATION \* \* \*

#### **US DOT Information**

**Shipping Name:** Compressed gas, flammable, n.o.s. (Contains: Nitrogen, Hydrogen)

UN/NA #: UN1954 Hazard Class: 2.1

Required Label(s): 2.1

## **IMDG** Information

**Shipping Name:** Compressed gas, flammable, n.o.s. (Contains: Nitrogen, Hydrogen)

UN #: UN1954 Hazard Class: 2.1

Required Label(s): 2.1, +

Page 9 of 11 Issue Date: 12/04/2009 Revision 1.0000 Print Date: 2/9/2010

SDS ID: 00244245

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix

# \* \* \* Section 15 - REGULATORY INFORMATION \* \* \*

# **Component Analysis**

# **U.S. Federal Regulations**

None of this products components are listed under SARA Sections 302/304 (40 CFR 355 Appendix A), SARA Section 311/312 (40 CFR 370.21), SARA Section 313 (40 CFR 372.65), CERCLA (40 CFR 302.4), TSCA 12(b), or require an OSHA process safety plan.

# SARA 311/312 Hazardous Categories

Acute Health: Yes Chronic Health: No Fire: Yes Pressure: Yes Reactive: No

# **U.S. State Regulations**

The following components appear on one or more of the following state hazardous substances lists:

Component	CAS	CA	MA	MN	NJ	PA	RI
Nitrogen	7727-37-9	No	Yes	Yes	Yes	Yes	Yes
Hydrogen	1333-74-0	Yes	Yes	Yes	Yes	Yes	Yes

Not regulated under California Proposition 65

# **Component Analysis - Inventory**

Component	CAS	US	CA	EU	AU	PH	JP	KR	CN	NZ
Nitrogen	7727-37-9	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes
Hydrogen	1333-74-0	Yes	DSL	EIN	Yes	Yes	No	Yes	Yes	Yes

# \* \* \* Section 16 - OTHER INFORMATION \* \* \*

NFPA Ratings: Health: 2 Fire: 4 Reactivity: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

Page 10 of 11 Issue Date: 12/04/2009 Revision 1.0000 Print Date: 2/9/2010

Material Name: 4-5% Hydrogen in Nitrogen, Gas Mix SDS ID: 00244245

### Key / Legend

ACGIH - American Conference of Governmental Industrial Hygienists; ADR - European Road Transport; AU -Australia: BOD - Biochemical Oxygen Demand; C - Celsius; CA - Canada; CAS - Chemical Abstracts Service; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CN - China; CPR -Controlled Products Regulations; DFG - Deutsche Forschungsgemeinschaft; DOT - Department of Transportation: DSL - Domestic Substances List; EEC - European Economic Community; EINECS - European Inventory of Existing Commercial Chemical Substances; EPA - Environmental Protection Agency; EU - European Union; F - Fahrenheit; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; ICAO - International Civil Aviation Organization; IDL - Ingredient Disclosure List; IDLH - Immediately Dangerous to Life and Health; IMDG - International Maritime Dangerous Goods; JP - Japan; Kow - Octanol/water partition coefficient; KR - Korea; LEL - Lower Explosive Limit; LOLI - List Of LIsts™ - ChemADVISOR's Regulatory Database; MAK - Maximum Concentration Value in the Workplace; MEL - Maximum Exposure Limits; NFPA - National Fire Protection Agency; NIOSH - National Institute for Occupational Safety and Health; NJTSR -New Jersey Trade Secret Registry; NTP - National Toxicology Program; NZ - New Zealand; OSHA - Occupational Safety and Health Administration; PH - Philippines; RCRA - Resource Conservation and Recovery Act; RID -European Rail Transport; RTECS - Registry of Toxic Effects of Chemical Substances®; SARA - Superfund Amendments and Reauthorization Act; STEL - Short-term Exposure Limit; TDG - Transportation of Dangerous Goods; TSCA - Toxic Substances Control Act; TWA - Time Weighted Average; UEL - Upper Explosive Limit; US -**United States** 

#### Other Information

Matheson Tri-Gas, Inc. makes no express or implied warranties, guarantees or representations regarding the product or the information herein, including but not limited to any implied warranty or merchantability or fitness for use. Matheson Tri-Gas, Inc. shall not be liable for any personal injury, property or other damages of any nature, whether compensatory, consequential, exemplary, or otherwise, resulting from any publication, use or reliance upon the information herein.

End of Sheet 00244245