



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

**SECTION 1. PRODUCT AND COMPANY IDENTIFICATION**


Product name : AZ EBR 70/30  
Product Use Description : Intermediate for electronic industry  
Company : EMD Performance Materials Corp.  
An affiliate of Merck KGaA, Darmstadt Germany  
One International Plaza, Suite 300  
Philadelphia, PA 19113  
Telephone : 1-888-367-3275  
Emergency telephone number : 1-800-424-9300 (CHEMTREC)

**SECTION 2. HAZARDS IDENTIFICATION**

**Emergency Overview**

**HMIS Classification** : Health hazard: 2  
Flammability: 3  
Reactivity: 0  
PPE:X

**NFPA Classification** : Health hazard: 2  
Fire Hazard: 3  
Reactivity Hazard: 0  
Special Hazards: NONE



**GHS Classification**

Hazard category, Hazard class : Flammable liquids, Category 3  
Hazard category, Hazard class : Eye irritation, Category 2A  
Hazard category, Hazard class : Specific target organ toxicity - single exposure, Category 3



SAFETY DATA SHEET  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

**GHS-Labeling**

Symbol(s)



Signal word

: Warning

Hazard statements

: Flammable liquid and vapour.  
Causes serious eye irritation.  
May cause respiratory irritation, and drowsiness or dizziness.

Precautionary statements

: **Prevention:**  
Keep away from heat/sparks/open flames/hot surfaces. - No smoking.  
Keep container tightly closed.  
Ground/bond container and receiving equipment.  
Use explosion-proof electrical/ ventilating/ lighting/ equipment.  
Use only non-sparking tools.  
Take precautionary measures against static discharge.  
Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.  
**Response:**  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
IF exposed or if you feel unwell:  
Get medical advice/ attention.  
In case of fire: Use dry sand, dry chemical or alcohol-resistant foam for extinction.  
**Storage:**  
Store in a well-ventilated place. Keep cool.  
Store in a closed container.  
**Disposal:**  
Dispose of contents/ container to an approved waste disposal plant.



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

**Hazardous ingredients**

Component	CAS-No.	Weight percent
1-Methoxy-2-propanol	107-98-2	65 - 75
1-Methoxy-2-propanol acetate	108-65-6	25 - 35
2-Methoxy-1-propanol acetate	70657-70-4	< 0.3

---

**SECTION 4. FIRST AID MEASURES**

**First aid procedures**

- Inhalation : If inhaled, remove to fresh air. If breathing is difficult, give oxygen. If symptoms persist, call a physician.
- Skin contact : Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. Get medical attention if irritation develops and persists.
- Eye contact : Remove contact lenses. Flush eyes with water at least 15 minutes. Get medical attention if eye irritation develops or persists.
- Ingestion : Keep respiratory tract clear. If conscious, drink plenty of water. Never give anything by mouth to an unconscious person. Obtain medical attention.

---

**SECTION 5. FIREFIGHTING MEASURES**

**Flammable properties**

- Flash point : 90 °F (32 °C)  
Method: closed cup

**Fire fighting**

- Suitable extinguishing media : Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.
- Further information : In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. Cool containers/tanks with water spray.



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

---

**Protective equipment and precautions for firefighters**

Specific hazards during firefighting : As the product contains combustible organic components, fire will produce dense black smoke containing hazardous products of combustion (see section 10).

---

**SECTION 6. ACCIDENTAL RELEASE MEASURES**

Environmental precautions : Do not allow entry to drains, water courses or soil. Prevent spreading by use of suitable barriers. Local authorities should be advised if significant spillages cannot be contained.

Methods for containment / Methods for cleaning up : Wearing appropriate personal protective equipment, contain spill, ventilate area of spill or leak, remove all sparking devices or ignition sources, collect onto inert absorbent, and place in a suitable container.

---

**SECTION 7. HANDLING AND STORAGE**

**Handling**

Handling : Wash thoroughly after handling.  
Keep container closed.  
Avoid breathing vapors and contact with skin, eyes, and clothing.  
Use only with adequate ventilation and proper protective eyewear, gloves, and clothing.  
Keep away from heat, sparks, and flame.

Advice on protection against fire and explosion : Keep away from sources of ignition  
Take precautions against accumulation of electrostatic charge

**Storage**

Further information on storage conditions : Store at appropriate temperature. See label for details.  
Store in original container.  
Transport and store under dry conditions tightly closed and protected from heat and light.  
May liberate flammable solvent vapors.

---



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

---

**SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

**Exposure Guidelines**

**Components with workplace control parameters**

Components	CAS-No.	Control parameters	Basis
1-Methoxy-2-propanol	107-98-2	TWA: 50 ppm	ACGIH
		STEL: 100 ppm	
		TWA: 100 ppm (360 mg/m <sup>3</sup> )	OSHA P0
		STEL: 150 ppm (540 mg/m <sup>3</sup> )	
		TWA: 100 ppm (360 mg/m <sup>3</sup> )	NIOSH REL
		ST: 150 ppm (540 mg/m <sup>3</sup> )	
1-Methoxy-2-propanol acetate	108-65-6	TWA: 50 ppm	US WEEL

**Engineering measures**

Engineering measures : Handle only in a place equipped with local exhaust (or other appropriate exhaust).

**Personal protective equipment**

Eye protection : Safety eyewear to protect against splashes.

Hand protection : Solvent-resistant gloves

Skin and body protection : Clothing suitable to prevent skin contact.

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.  
Respirator with filter for organic vapour  
Use NIOSH approved respiratory protection.

Hygiene measures : Observe the usual precautions when handling chemicals.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

**Appearance**

Form : Liquid  
Color : Clear, colorless  
Odor : Strong, characteristic odor.

**Safety data**

Flash point : 90 °F (32 °C)  
Method: closed cup



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

---

Boiling point	: 255 °F (124 °C) at 1,013 hPa Method: DIN 51751
Vapour pressure	: ca. 10.5 Torr at 68 °F (20 °C) Method: calculated
Density	: 0.9326 g/cm <sup>3</sup> at 68 °F (20 °C)
Water solubility	: The solvent is partially water soluble but the product forms two layers.
VOC	: 933 g/l (Calculated value)
Loss on drying	: > 98 %

---

**SECTION 10. STABILITY AND REACTIVITY**

Conditions to avoid	: Avoid contact with strong oxidizing agents. Contact with strong acids and bases may cause hydrolysis of product.
Hazardous decomposition products	: Hazardous decomposition products due to incomplete combustion Carbon monoxide, carbon dioxide and unburned hydrocarbons (smoke).
Hazardous reactions	: Hazardous polymerisation does not occur.
Chemical stability	: Stable under normal conditions.

---

**SECTION 11. TOXICOLOGICAL INFORMATION**

**Data for AZ EBR 70/30**

Further information : No toxicological testing was carried out on the preparation.

**Data for 1-Methoxy-2-propanol (107-98-2)**

Acute oral toxicity : LD50 Oral: > 5,000 mg/kg  
Species: rat

---



# SAFETY DATA SHEET

## AZ EBR 70/30

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

Acute inhalation toxicity	: LC50: > 7559 ppm Exposure time: 6 h Species: rat
Acute dermal toxicity	: LD50 Dermal: 13,000 mg/kg Species: rabbit
Skin irritation	: Result: slight irritant effect - does not require labelling
Eye irritation	: Result: Mild eye irritation
Sensitisation	: Result: No evidence of sensitizing properties.

### Data for 1-Methoxy-2-propanol acetate (108-65-6)

Acute oral toxicity	: LD50: 8,532 mg/kg Species: rat
Acute inhalation toxicity	: LC50: > 23.8 mg/l Exposure time: 6 h Species: rat
Acute dermal toxicity	: LD50: > 5,000 mg/kg Species: rabbit
Skin irritation	: Result: non-irritant
Eye irritation	: Result: Moderate eye irritation Source : Supplier MSDS
Sensitisation	: Species: Guinea pig Result: non-sensitizing

### Toxicology Assessment

CMR effects	: Teratogenicity: Oral and Inhalation developmental toxicity studies were conducted in pregnant rats and rabbits with PGMEA (1-Methoxy-2-propanol acetate) containing approximately 2% beta isomer (cited in 1-METHOXY-2-PROPANOL ACETATE OECD SIDS Report). No statistically significant effects were noted in developmental parameters at any of the dose levels tested (Oral study - up to 1,000 mg/kg/day and inhalation study - up to 4000 ppm).
-------------	--



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

**Data for 2-Methoxy-1-propanol acetate (70657-70-4)**

Acute inhalation toxicity : Data refers to Beta Isomer  
**Toxicology Assessment**

CMR effects : Teratogenicity:  
The beta isomer, 2-Methoxy-1-propanol acetate, was tested by itself for developmental/teratogenic effects in pregnant rats and rabbits. Developmental/teratogenic effects were observed in both species via the inhalation route of exposure. In rabbits, the effects only occurred in the highest dose group (545 ppm) in absence of any significant maternal toxicity. In rats, these effects were also only observed in the highest dose group, but in the presence of significant maternal toxicity, which placed the cause of the developmental effects in question. The No Observable Adverse Effect Level, NOAEL, for the inhalation exposures in rabbits with the pure beta isomer was determined to be 145 ppm, this equates to exposure of 1-Methoxy-2-propanol acetate with a level of beta isomer > 2%. Since this Product formulation contains < 0.3% of the beta isomer, it is judged that exposure to this product formulation does not pose a reproductive hazard.

---

**SECTION 12. ECOLOGICAL INFORMATION**

**Data for AZ EBR 70/30**

Additional ecological information : No ecological testing was carried out on the preparation.

**Data for 1-Methoxy-2-propanol (107-98-2)**

**Ecotoxicity effects**

Toxicity to fish : LC50: 6,812 mg/l Exposure time: 96 h  
Species: golden orfe

: LC50: 20,800 mg/l Exposure time: 96 h  
Species: Fathead minnow

: LC50: > 1,000 mg/l Exposure time: 96 h  
Species: rainbow trout

Toxicity to daphnia and other aquatic invertebrates : EC50: > 500 mg/l  
Exposure time: 48 h  
Species: Daphnia magna





**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

---

Toxicity to algae : EC50: > 1,000 mg/l  
Exposure time: 96 h  
Species: Green algae

Toxicity to bacteria : IC50: > 1,000 mg/l  
Exposure time: 3 h  
Species: activated sludge

**Elimination information (persistence and degradability)**

Biodegradability : 98 %

**Data for 1-Methoxy-2-propanol acetate (108-65-6)**

**Ecotoxicity effects**

Toxicity to fish : LC50: 100 - 180 mg/l Exposure time: 96 h  
Species: Oncorhynchus mykiss (rainbow trout)

: LC50: 161 mg/l Exposure time: 96 h  
Species: Fish general (Pisces)

: NOEC: 100 mg/l Exposure time: 96 h  
Species: Fish general (Pisces)

Toxicity to daphnia and other aquatic invertebrates : EC50: > 500 mg/l  
Species: Daphnia magna

Toxicity to bacteria : EC20: 1,000 mg/l  
Exposure time: 30 min  
Species: activated sludge

**Elimination information (persistence and degradability)**

Biodegradability : Method: OECD 302 B  
: The product is biodegradable.

---

**SECTION 13. DISPOSAL CONSIDERATIONS**

Further information : Dispose of as hazardous waste in compliance with local and national regulations.  
For disposal, this material is a flammable hazardous waste under RCRA.



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

Contaminated packaging : Empty containers should be taken to an approved waste handling site for recycling or disposal.

RCRA hazardous waste : RCRA number: D001  
Yes -- If it becomes a waste as sold.

---

**SECTION 14. TRANSPORT INFORMATION**

**DOT**

UN number : 1993  
Description of the goods : Flammable liquids, n.o.s.  
(1-Methoxy-2-propanol, 1-Methoxy-2-propanol acetate)  
Class : 3  
Packing group : III  
Labels : 3  
Emergency Response : 128  
Guidebook Number :  
Environmentally hazardous : no

**IATA**

UN number : 1993  
Description of the goods : Flammable liquid, n.o.s.  
(1-Methoxy-2-propanol, 2-Methoxy-1-methylethyl acetate)  
Class : 3  
Packing group : III  
Labels : 3  
Environmentally hazardous : no

**IMDG**

UN number : 1993  
Description of the goods : FLAMMABLE LIQUID, N.O.S.  
(1-Methoxy-2-propanol, 2-Methoxy-1-methylethyl acetate)  
Class : 3  
Packing group : III  
Labels : 3  
EmS Number 1 : F-E  
EmS Number 2 : S-E  
Marine pollutant : no  
Environmentally hazardous : no  
Additional data for transport : No Segregation Group



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

---

**SECTION 15. REGULATORY INFORMATION**

**Notification status**

- TSCA** : All components of this product are listed on the TSCA Inventory.
- DSL** : All components of this product are on the Canadian DSL.
- WHMIS Classification** : B2: Flammable liquid
- Canadian PBT Chemicals** : This product does not contain any components on the DSL that are classified as Persistent, Bioaccumulative and Toxic (PBT) under CEPA.
- CERCLA Reportable Quantity** :  
This material does not contain any components with a CERCLA RQ.

**Carcinogenicity**

- IARC** : No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
- OSHA** : No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.
- NTP** : No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
- ACGIH** : No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.

**EPCRA - Emergency Planning and Community Right-to-Know Act**

- SARA 302 Reportable Quantity** : This material does not contain any components with a SARA 302 RQ.
- SARA 304 Extremely Hazardous Substances** : This material does not contain any components with a section 304 EHS RQ.

**SARA 313:** This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

**Clean Air Act**

**Ozone-Depletion Potential**

: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

**US. Clean Air Act - Hazardous Air Pollutants (HAP)**

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 12 (40 CFR 61).

**US. Clean Air Act Section 112(r); Regulated toxic and flammable substances for Accidental Release Prevention - 40 CFR 68.130 (subpart F)**

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

**US. Clean Air Act Section 111 SOCM I Intermediate or Final Volatile Organic Compunds (VOC) - 40 CFR part 60.489**

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCM I Intermediate or Final VOC's (40 CFR 60.489).

**Clean Water Act**

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

**US State Regulations**

**Massachusetts Right To Know Components** : 1-Methoxy-2-propanol 107-98-2

**Pennsylvania Right To Know Components** : 1-Methoxy-2-propanol 107-98-2  
1-Methoxy-2-propanol acetate 108-65-6

**New Jersey Right To Know Components** : 1-Methoxy-2-propanol 107-98-2  
1-Methoxy-2-propanol acetate 108-65-6

**California Prop. 65 Components** : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.



**SAFETY DATA SHEET**  
**AZ EBR 70/30**

Substance No.: 000000500444  
Version 4.1

Revision Date 04/04/2015  
Print Date 10/29/2015

---

**SECTION 16. OTHER INFORMATION**

This information is supplied under the OSHA Hazard Communication Standard, 29 CFR 1910.1200, and is offered in good faith based on data available to us that we believe to be true and accurate. For any sub-heading within any section not addressed herein, no relevant information is determined or applicable. The recommended industrial hygiene and safe handling procedures are believed to be generally applicable to the material. However, each user should review these recommendations in the specific context of the intended use and determine whether they are appropriate for that use. No warranty, express or implied, is made regarding the accuracy of this data, the hazards connected with the use of the material, or the results to be obtained from the use thereof. We assume no responsibility for damage or injury from the use of the product described herein. Data provided here are typical and not intended for use as product specifications.

AZ and the AZ logo are trademarks or registered trademarks of Merck KGaA, Darmstadt, Germany or its affiliates.

